

**ANTLIA T LED1X2700 D950 T830 OP • 1101242**

Product:	Antlia T LED1x2700 D950 T830 OP
Order code:	1101242
Family:	Antlia T LED
Product group:	Spotlights

**GENERAL DATA**

<b>Description:</b>	Track mounted LED downlight Light distribution type: direct Optical system: opal polycarbonate diffuser Housing: aluminium Colour: white (RAL9016)
<b>Installation:</b>	In 3-phase track. Track adaptor (3-phase + N) with phase selector
<b>Environment</b>	Indoor
<b>Application</b>	retail, public place, showroom, exhibition

**ELECTRICAL DATA**

<b>Mains voltage:</b>	220-240V, 0/50/60Hz	<b>System power*, W:</b>	23
<b>Power factor:</b>	>0,95	<b>Control gear:</b>	ECG on/off
<b>Integrated sensor:</b>	None	<b>Connection:</b>	Track adaptor (3-phase + N) with phase selector

**LIGHTING DATA**

<b>Light source and cap, W:</b>	LED	<b>Light source included:</b>	yes
<b>Luminaire output*, lm(ta+25°C):</b>	2635	<b>System efficacy, lm/W:</b>	114
<b>CRI (Ra):</b>	80+	<b>CCT, K:</b>	3000
<b>SDCM:</b>	3	<b>Light Distribution:</b>	Symmetrical wide beam (76°...125°)
<b>Distribution Type:</b>	Direct	<b>Beam angle, °:</b>	93
<b>LED lifetime, h:</b>	60000/L80B10		


**TECHNICAL DATA**

<b>Net weight, kg:</b>	1	<b>Quantity in package, pcs:</b>	1
<b>Packaging volume, m3/pcs:</b>	0.0074	<b>Pallet quantity, pcs:</b>	120
<b>Dimensions, mm:</b>	200x200x150		


**STANDARDS**

<b>Operating temperature range, °C:</b>	ta 0...+35	<b>Protection class IEC:</b>	I
<b>Ingress protection code:</b>	IP20	<b>Mechanical impact resistance:</b>	IK02
<b>EEC:</b>	E	<b>Certificates:</b>	CE, UKCA, RoHS
<b>Warranty:</b>	3 years (5 years – see warranty Ts and Cs)		

Technical drawing (.jpg)



## Light distribution curve (.jpg)



### Note:

Tolerance range for optical and electrical data:  $\pm 10\%$ . Values apply to an ambient temperature of 25 C. NORTHCLIFFE LIGHTING is constantly developing and improving its products. The right is reserved to change any product specifications without prior notification. Photos are for illustrational purposes only. The exact appearance of the product may vary depending on the monitor settings, options selected and other factors.